

B₂

OXYGEN
CYLINDER

BEVERAGE CYLINDERS (CO₂)

BO2 beverage cylinders are made by aluminum 6061, with 40% weight reduction than steel cylinders.



SPECIFICATIONS

SALE CODE	Water Capacity	Outside Diameter	Overall Length	Wall Thickness	Empty Weight	Working Pressure	
	Lts.	mm.	mm.	mm.	kgs.	bar	psi
B73-1	0.5	73	220	4.9	0.81	200	2901
B73-2	0.6	73	255	4.9	0.92	200	2901
B120-5	2.0	120	344	8.0	0.37	200	2901
B111-4	3.0	111	488	7.4	3.92	200	2901
B140-6	4.0	140	478	9.3	6.01	200	2901
B140-7	5.0	140	565	9.3	7.00	200	2901
B184-3	9.5	184	598	12.2	12.40	200	2901
B140-8	10.0	176	642	11.7	12.10	200	2901
B184-4	10.0	184	620	12.2	12.90	200	2901
B203-7	10.0	203	550	13.4	14.90	200	2901
B184-5	12.0	184	710	12.2	14.80	200	2901
B203-8	12.0	203	630	13.4	16.70	200	2901
B203-9	13.4	203	686	13.4	18.00	200	2901
B203-10	15.0	203	750	13.4	19.50	200	2901
B232-7	20.0	232	731	15.4	25.00	200	2901
B232-8	31.5	232	1096	15.4	36.00	200	2901
B232-9	40.0	232	1365	15.4	44.10	200	2901

SALE CODE	Water Capacity	Outside Diameter	Overall Length	Wall Thickness	Empty Weight	Working Pressure	
	Lts.	mm.	mm.	mm.	kgs.	bar	psi
B60-1	0.6	60	330	3.1	0.7	150	2176
B89-1	0.6	89	210	4.5	0.9	150	2176
B81-1	0.7	81	224	4.1	0.7	150	2176
B81-2	0.8	81	248	4.1	0.8	150	2176
B89-2	0.8	89	250	4.5	1.1	150	2176
B89-3	1.0	89	290	4.5	1.3	150	2176
B81-3	1.2	81	344	4.1	1.1	150	2176
B111-1	1.3	111	257	5.6	2.0	150	2176
B111-2	1.7	111	310	5.6	2.3	150	2176
B108-1	2.0	108	360	5.6	2.3	150	2176
B120-1	2.0	120	324	6.1	2.3	150	2176
B108-2	2.5	108	428	5.6	2.6	150	2176
B120-2	2.5	120	372	6.1	2.8	150	2176
B111-3	2.7	111	442	5.6	3.1	150	2176
B120-3	2.8	120	400	6.1	3.0	150	2176
B120-4	3.2	120	438	6.1	3.4	150	2176
B133-1	3.4	133	376	6.7	3.2	150	2176
B140-1	4.0	140	420	7.1	4.5	150	2176
B140-2	5.0	140	505	7.1	5.2	150	2176
B140-3	6.0	140	590	7.1	5.9	150	2176
B152-1	6.7	152	543	7.7	5.9	150	2176
B176-1	6.7	176	474	8.9	8.5	150	2176
B140-4	7.0	140	675	7.1	6.6	150	2176
B176-2	7.5	176	512	8.9	9.1	150	2176
B140-5	8.0	140	755	7.1	7.1	150	2176
B159-1	8.0	159	635	8.1	8.0	150	2176
B176-3	9.4	176	603	8.9	10.5	150	2176
B176-4	9.7	176	618	8.9	10.7	150	2176
B159-2	10.0	159	740	8.1	9.0	150	2176
B176-5	10.0	176	632	8.9	10.9	150	2176
B184-1	10.0	184	591	9.3	11.4	150	2176
B176-6	10.5	176	656	8.9	11.3	150	2176
B203-1	12.0	203	600	10.3	14.1	150	2176
B203-2	13.4	203	595	8.3	11.0	124	1800
B203-3	13.4	203	650	10.3	13.9	150	2176
B176-7	13.5	176	800	8.9	13.5	150	2176
B184-2	15.0	184	831	9.3	15.2	150	2176
B203-4	15.0	203	710	10.3	15.2	150	2176
B203-5	20.0	203	910	10.3	18.9	150	2176
B203-6	23.4	203	1046	10.3	21.4	150	2176
B232-1	30.0	232	1010	11.7	30.5	150	2176
B232-2	33.4	232	1122	11.7	32.5	150	2176
B232-3	35.0	232	1175	11.7	33.5	150	2176
B232-4	40.0	232	1340	11.7	36.5	150	2176
B250-1	46.4	250	1316	12.6	39.3	150	2176
B250-2	47.5	250	1343	12.6	40.0	150	2176

* For more working pressures and other specifications please contact us.

B₂

OXYGEN
CYLINDER

