

BO<sub>2</sub>

OXYGEN  
CYLINDER

# SEAMLESS STEEL GAS CYLINDERS

With the world class equipment and advanced technical process, BO2 can produce large, medium, small sizes high pressure seamless cylinders.



# SPECIFICATIONS

A	SALE CODE	Water Capacity	Outside Diameter	Overall Length	Wall Thickness	Empty Weight	Working Pressure	
		Lts.	mm.	mm.	mm.	kgs.	bar	psi
	19CF	2.68	108	395	2.6	3.8	150	2176
	19CF-1	2.68	108	410	2.6	3.6	150	2176
	18CF	3.40	108	485	2.6	4.5	150	2176
	25CF	4.70	108	833	2.6	6.0	150	2176
	28CF	5.00	133	490	3.0	7.5	150	2176
	53CF	10.00	133	840	3.0	14.0	150	2176
	57CF	10.20	171	850	3.0	14.0	150	2176
	58CF	10.80	178	590	4.2	16.0	150	2176
	71CF	13.40	178	705	4.2	18.5	150	2176
	84CF	15.70	178	815	4.2	21.0	150	2176
	115CF	21.65	178	1085	4.2	27.0	150	2176
	186CF	35.00	219	1180	5.7	45.0	150	2176
	265CF	47.00	229	1395	5.2	56.0	150	2176
	170CF	30.00	232	915	5.2	37.0	150	2176
	198CF	35.00	232	1060	5.2	42.0	150	2176
	225CF	40.00	232	1180	5.2	46.0	150	2176
	245CF	43.30	232	1270	5.2	49.0	150	2176
	265CF	46.70	232	1370	5.2	52.0	150	2176
	249CF	47.00	232	1375	5.2	52.0	150	2176
	276CF	52.00	232	1515	5.2	56.0	150	2176
	340CF	60.00	267	1340	6.2	70.0	150	2176
	380CF	68.00	267	1500	6.2	78.0	150	2176
	379CF	67.50	267	1490	6.2	77.5	150	2176
	450CF	80.00	267	1750	6.2	89.0	150	2176
	382CF	68.10	267	1500	6.2	78.0	150	2176
	395CF	70.00	267	1445	6.3	81.0	150	2176
	450CF-1	80.00	267	1630	6.3	91.0	150	2176
	465CF	82.50	267	1650	6.3	92.0	150	2176

B	SALE CODE	Water Capacity	Outside Diameter	Overall Length	Wall Thickness	Empty Weight	Working Pressure	
		Lts.	mm.	mm.	mm.	kgs.	bar	psi
	187CF	32.00	219	1095	5.7	45.0	165	2393
	300CF	48.80	235	1400	5.8	62.0	165	2393
	370CF	60.00	267	1340	6.6	70.0	165	2393
	420CF	64.90	267	1440	6.6	75.0	165	2393
	425CF	66.00	267	1465	6.6	75.0	165	2393
	500CF	67.50	267	1485	6.6	77.0	165	2393
	398CF	68.00	267	1500	6.6	78.0	165	2393
	468CF	80.00	267	1750	6.6	89.0	165	2393

C	SALE CODE	Water Capacity	Outside Diameter	Overall Length	Wall Thickness	Empty Weight	Working Pressure	
		Lts.	mm.	mm.	mm.	kgs.	bar	psi
	317CF	43.30	229	1356	7.2	69.0	200	2901
	337CF	46.00	229	1430	7.2	71.0	200	2901
	360CF	48.80	229	1525	7.2	75.0	200	2901
	380CF	50.00	229	1540	7.2	76.0	200	2901
	160CF	21.00	235	710	7.3	41.0	200	2901
	380CF	48.80	235	1460	7.3	76.0	200	2901
	530CF	68.00	267	1565	8.3	98.0	200	2901
	585CF	75.00	267	1705	8.3	106.0	200	2901
	600CF	77.00	267	1770	8.3	108.0	200	2901
	620CF	80.00	267	1810	8.3	112.0	200	2901
	545CF	70.00	279	1500	8.6	105.0	200	2901
	620CF-1	80.00	279	1680	8.6	115.0	200	2901
	640CF	82.00	279	1700	8.6	116.0	200	2901

\* For more working pressures and other specifications please contact us.

B<sub>2</sub>

OXYGEN  
CYLINDER

